

HELIX INCRASSATA KLEIN, 1853 (MAY) IS NOT A JUNIOR PRIMARY HOMONYM OF HELIX INCRASSATA REEVE, 1853 (FEBRUARY) (GASTROPODA: HELICOIDEA)

DIETRICH KADOLSKY¹ & JONATHAN D. ABLETT²

¹66 Heathhurst Road, Sanderstead, CR2 0BA, Surrey, United Kingdom.

²Department of Life Sciences, Natural History Museum, London. United Kingdom, SW7 5DB.

Abstract The name of a well-known Miocene land snail species, *Helix incrassata* Klein, 1853 (May) (currently *Pseudochloritis incrassata*) is not a junior primary homonym of the name *Helix incrassata* Reeve, 1853 (February), because the latter is unavailable as it is a subsequent erroneous spelling of the name *Helix incrustata* Poey, 1852 (currently *Thysanophora incrustata*). Reeve gave Poey as author of *incrassata*; possibly as a lapsus for the similar word *incrustata*.

Key words Nomenclature, subsequent erroneous spelling, *Pseudochloritis incrassata*, *Thysanophora incrustata*.

INTRODUCTION

Pseudochloritis incrassata (Klein, 1853) (Helicoidea; family assignment under discussion), originally published in the binomen *Helix incrassata*, is a well-known fossil land snail in the Miocene Upper Freshwater Molasse of the North Alpine Foredeep in southern Germany and equivalent strata elsewhere (Binder 2008). Salvador *et al.* (2016) discovered an apparent senior primary homonym, *Helix incrassata* Reeve, 1853. One of the authors (DK) intended to apply to the International Commission for Zoological Nomenclature to grant reversal of precedence, but further research into the matter revealed that *Helix incrassata* Reeve, 1853 is not an available species-group name, which, consequently, does not constitute a threat to the name *Helix incrassata* Klein, 1853. The matter is presented here for the record.

NOMENCLATORIAL STATUS OF *HELIX INCRASSATA* KLEIN, 1853 AND *HELIX INCRASSATA* REEVE, 1853

Klein (1853: 208–209, pl. 5 fig. 6) described *Helix incrassata* from the Silvana Beds of the Upper Freshwater Molasse (Middle Miocene) from an area between Zwiefaltendorf and Andelfinger Berg in southern Germany. The publication date can be narrowed down to May 1853, as the issue of the periodical is listed in “Allgemeine Bibliographie für Deutschland”, year 1853, part

22 (Anonymous, 1853: 172), which was issued on 2 June 1853 and, being published weekly, lists literature published shortly before, i.e. in May 1853. The species is known from several localities in the Silvana Beds and equivalent strata elsewhere. It is a senior subjective synonym of the type species of *Pseudochloritis* C.R. Boettger, 1909, which is *Pseudochloritis inflexa* C.R. Boettger, 1909 (see Salvador *et al.* 2016a: 28). From around 1917 (see Wenz 1923 for a detailed listing of the references pertaining to *P. incrassata* (Klein) up to 1920) to the present day all relevant publications utilized the species epithet *incrassata* in association with the genus-group names *Pseudochloritis* or *Tropidomphalus* (*Pseudochloritis*), e.g.: Wenz, 1923: 510–516; Baumberger 1927: 153, pl.2 figs. 5–7; Pfeffer 1930: 225–226; Zilch, 1960: 699, fig. 2435; Glibert, 1962: 113; Binder, 2008: 172–173, pl.3 figs. 2–4, pl.6 fig.2; Salvador 2013: 164–165, figs. 18–21; Rasser *et al.* 2013: 440, pl.4 fig. 12; Salvador 2014: 278, figs. 19–20; Harzhauser *et al.* 2014: 34, Hölzke & Rasser 2015: 8–10, figs. 4.3, 5.2; Salvador *et al.* 2015a: 207 figs. 3A–C; Salvador *et al.* 2015b: 261, figs. 4E–G; Salvador *et al.* 2016: 27, 28, pl.5 figs.7–8; Salvador & Rasser 2016a: 46, figs. 2Q–S; Salvador & Rasser 2016b: 118, figs. 23–25; Binder 2017: 219, Salvador *et al.* 2017: 43; Hölzke *et al.* 2018: 32–33, fig. 6.14.

Reeve (1853: pl. 150 fig. 972, with unpaginated text) described as “*Helix incrassata* Poey” a recent land snail species from Havana, Cuba. The date of February 1853 is printed on the text pages and is taken as the publication date of Reeve’s



Figure 1a–e *Thysanophora incrustata* (Poey, 1852). Original of *Helix incrassata* sensu Reeve, 1853 (pl. 150 fig. 972), an incorrect subsequent spelling of *Helix incrustata* Poey, 1852. Havana, Cuba. Natural History Museum UK, registration number 20210201. 2.14×3.35mm. Photo by NHMUK.

Figure 2a–2b Labels for the specimen in Fig. 1. Label Fig. 2a in L. Pfeiffer’s handwriting. M.C.=Museum Cuming. Photo by NHMUK.

Figure 3a–3c *Pseudochloritis incrustata* (Klein, 1853). Original of *Helix inflexa* sensu Klein, 1846 (: 71, pl. 1 figs. 12a–b), not *Helix inflexa* Zieten, 1832; syntype of *Pseudochloritis inflexa* C.R. Boettger, 1909; see Salvador *et al.* 2016 (: 28, pl.5 figs. 8a–c) for discussion. Silvana Beds, Upper Freshwater Molasse, North Alpine Foredeep, S. Germany; late Early to early Middle Miocene (Burdigalian/ Langhian). Mörsingen on original label, but Zwiefaltendorf according to Klein 1846 (both localities have Silvana Beds outcrops). State Museum of Natural History Stuttgart, inventory number SMNS 22736. 16.8×24.7mm. Photos by D. Kadolsky.

species. The apparent homonymy with *Helix incrassata* Klein was discovered by Salvador *et al.* (2016a: 28) who suggested that an application to the International Commission for Zoological Nomenclature was required to protect the name *Helix incrassata* Klein. During the research for this application facts came to light which made the application unnecessary, but the matter needs to be made public for the avoidance of doubt.

Reeve's texts follow a constant scheme, viz.: species name without author, description in Latin, description in English, author of the species name with a bibliographic reference, distribution, remarks. Reeve gives Poey as author for *Helix incrassata*, without a bibliographic reference. In the index to the genus *Helix* (Reeve 1854), Poey is again given as author of *Helix incrassata*. However, Poey did not publish this name. Reeve's specimen is conspecific with *Helix incrustata* Poey, 1852 (: legend to pl. 12 figs. 11–16, April 1852; text: 208–209, 212, May 1853), currently *Thysanophora incrustata* (superfamily Helicoidea, family Thysanophoridae). The species epithet *incrassata* Reeve was treated as a synonym of *H. incrustata* Poey by Pfeiffer, 1878 (: 93) and Pilsbry 1894 (:57, 58). Pilsbry (1940: 987–988, fig. 574b, as *Thysanophora incrustata*) gave a good description and illustration of a specimen donated by Poey.

The original specimen of *Helix incrassata* Reeve, here shown in Fig. 1, came from the Hugh Cuming collection. It is unknown how Cuming obtained it; if Poey donated it, it may even originate from the type series of *Helix incrustata* Poey, 1852. Unfortunately none of the two labels (Figs 2a–b) appears to be Poey's original label; conceivably Reeve confused the similar words "*incrassata*" and "*incrustata*". This interpretation is supported by the fact that Reeve attributed the name to Poey (who did not use it), and by the observation that the meaning of the word "*incrassata*" (thickened) makes no sense for *Thysanophora incrustata*, while the word "*incrustata*" (encrusted) is quite fitting for this species. In contrast, *Pseudochloritis incrassata* (Klein) has a conspicuously thickened and expanded apertural lip (Fig. 3).

Being a misreading for *incrustata* Poey, the species epithet "*incrassata* Poey" as published by Reeve (1853) is a subsequent erroneous spelling which does not qualify as an available name (International Commission on Zoological Nomenclature (1999): articles 19.1, 33.3).

Consequently, the name *Helix incrassata* Klein, 1853 is not invalidated by Reeve's use of the name *Helix incrassata*.

REFERENCES

- ANONYMOUS 1853 Allgemeine Bibliographie für Deutschland. Ein wöchentliches Verzeichniß aller neuen Erscheinungen im Felde der Literatur **Jahrgang 1853**: 504 pp. J.C.Hinrich, Leipzig [(22): 169–176 [2.6.1853]].
- BAUMBERGER E 1927 Die Fauna der Silvanaschichten im Tafeljura der Kantone Baselland und Solothurn. Verhandlungen der Naturforschenden Gesellschaft in Basel **38**: 147–163, pl. 2.
- BINDER H 2008 The systematic positions of the genera *Pseudochloritis* C. Boettger 1909 and *Joossia* Pfeffer 1929. Archiv für Molluskenkunde **137** (2): 167–193.
- BINDER H 2017 *Pseudochloritis* und *Papillotopsis* (nov. gen.) im Miozän Zentraleuropas. Jahrbuch der Geologischen Bundesanstalt **157** (1–4): 215–239.
- BOETTGER CR 1909 Ein Beitrag zur Erforschung der europäischen Heliciden. Nachrichtenblatt der Deutschen Malacozoologischen Gesellschaft **41** (1): 1–19; (2): 49–68.
- GLIBERT M 1962 *Euthyneura* et *Pulmonata* fossiles du Cénozoïque étranger des collections de l'Institut royal des Sciences naturelles de Belgique. Mémoires. Institut royal des Sciences naturelles de Belgique. Deuxième Série **70**: 1–140.
- HARZHAUSER M, NEUBAUER TA, GROSS M & BINDER H 2014 The early Middle Miocene mollusc fauna of Lake Rein (Eastern Alps, Austria). Palaeontographica, Abteilung A: Palaeozoology – Stratigraphy **302** (1–6): 1–71.
- HÖLTKE O & RASSSER MW 2015 *Pseudochloritis insignis* – a peculiar large land-snail from the Miocene of SW Germany: taxonomic status and census of morphologically related forms. Journal of Conchology **42** (1): 21–32.
- HÖLTKE O, SALVADOR RB & RASSSER MW 2018 Miocene continental gastropods from the southern margin of the Swabian Alb (Baden-Württemberg, SW Germany). Neues Jahrbuch für Geologie und Paläontologie, Abhandlungen **287** (1): 17–44.
- INTERNATIONAL COMMISSION ON ZOOLOGICAL NOMENCLATURE 1999 International Code of Zoological Nomenclature, 4th edition. The International Trust for Zoological Nomenclature, London, xxix + 306 pp.
- KLEIN AV 1846 Conchylien der Süßwasserkalkformation Württembergs. Jahreshefte des Vereins für vaterländische Naturkunde in Württemberg **2** (1): 60–116, pls. 1–2.
- KLEIN AV (1853) Conchylien der Süßwasserkalkformation Württembergs. Jahreshefte des Vereins für vaterländische Naturkunde in Württemberg **9** (2): 203–233, pl. 5.
- NORMAN JR 1938 Notes on the dates etc. of the "Memorias," "Repertorio," "Synopsis" and "Enumeratorio" of Felipe Poey. Journal of the

- Society for the Bibliography of Natural History 1 (5): 135–137.
- PFEFFER G (1930 (“1929”) Zur Kenntnis tertiärer Landschnecken. Geologische und paläontologische Abhandlungen, N. F., 17 (3): 153–380, pls: 15–17. [parallel pagination: 3–230, pls. 1–3 [Bouchet & Rocroi (2005) give as publication date 2.1.1930].
- PFEIFFER L (edited posthumously by Clessin, S.) 1878–1881 Nomenclator Heliceorum viventium quo continentur nomina omnium huius familiae generum et specierum hodie cognitarum disposita ex affinitate naturali. Opus posthumus Ludovici Pfeiffer Dr ed. S. Clessin: Lief. 1: 1–64 ([XII.] 1878); Lief. 2–3: 65–192 (VI. 1879); Lief. 4: 193–256 (VII. 1879); Lief. 5–6: 257–384 (XI. 1879); Lief. 7: 385–448 (II. 1881); Lief. 8–9: 849–578 (VII. 1881); Lief. 10: 579–620 (IX. 1881). Theodor Fischer, Cassellis [Dates handwritten in NHMUK copy from “Naturae Novitates”].
- PILSBRY HA 1893–1895 (“1894”) (Helicidae vol. 7). Guide to the study of the Helices. Manual of Conchology, structural and systematic. With illustrations of the species. Second Series: Pulmonata, 9: Frontispiece, xlviii+366 pp., 71 pls. Academy of Natural Sciences. Conchological Section, Philadelphia [Publication dates pp. 117: (33): 1–48, 16.11.1893. (34): 49–112, 19.3.1894. (35): 113–160, 27.7.1894. (36): 161–336, 2.2.1895. (33a): i–xlviii, 2.2.1895. date stamps NHMUK: part 33: 28.11.1895, part 34: 31.3.1895, part 35: 15.8.1894, part 36: 20.2.1895].
- PILSBRY HA 1940 Land Mollusca of North America (north of Mexico). The Academy of Natural Sciences in Philadelphia. Monographs 3, 1 (2): i–viii, 575–994, index: i–ix. Philadelphia.
- POEY F 1851–1854 (“1851”) Memorias sobre la historia natural de la Isla de Cuba, acompañadas de sumarios latinos y extractos en frances, 1. Imprenta de Barcina, Habana. 463 pp., 30 pls. [Publication dates see pp. 449 and Norman 1938: 1–40, pls. 1–8: XI. 1851; 40–120, pls. 9–14: IV. 1852; 121–200, pls. 15–22: X. 1852; 201–280, pls. 23–30: V. 1853; 281–453, pls. 31–44: VI. 1854; 454–463: no date given].
- RASSER MW, BECHLY G, BÖTTCHER R, EBNER M, HEIZMANN EPJ, HÖLTKE O, JOACHIM C, KERN A K, KOVAR-EDER J, NEBELSICK J H, ROTH-NEBELSICK A, SCHOCH RR, SCHWEIGERT G & ZIEGLER R 2013 The Randeck Maar: Palaeoenvironment and habitat differentiation of a Miocene lacustrine system. Palaeogeography, Palaeoclimatology, Palaeoecology 392: 426–453.
- REEVE LA 1851–1854 Monograph of the genus Helix. In: Reeve LA, Conchologia iconica: or illustrations of the shells of molluscous animals 7. 210 pls. with unpaginated text, index. Lovell Reeve, London.
- SALVADOR RB 2013 The fossil pulmonate snails of Sandelzhausen (Early/ Middle Miocene, Germany): Succineidae, Testacelloidea and Helicoidea. Zootaxa 3721 (2): 157–171.
- SALVADOR RB 2014 The fossil land and freshwater snails of Gündlkofen (Middle Miocene, Germany). Zootaxa 3785 (2): 271–287.
- SALVADOR RB, SACH VJ & VALENTAS-ROMERA BL 2015a The fossil continental mollusks in the Upper Freshwater Molasse (Middle Miocene) of the districts of Biberach, Ravensburg and Neu-Ulm, Germany. Revista Brasileira de Paleontologia, 18 (2): 201–216.
- SALVADOR RB, RASSER MW & HÖLTKE O 2015b Fossil gastropods from Miocene Lake Randeck Maar and its hinterland. Neues Jahrbuch für Geologie und Paläontologie, Abhandlungen 277 (3): 251–273.
- SALVADOR RB HÖLTKE O, RASSER MW & KADOLSKY D 2016 Annotated type catalogue of the non-marine Cenozoic gastropods in the Staatliches Museum für Naturkunde Stuttgart, Germany. Palaeodiversity 9: 15–70.
- SALVADOR RB & RASSER MW 2016a The fossil land and freshwater snails of Oggenhausen (Middle Miocene, Germany). Revista Brasileira de Paleontologia, 19 (1): 41–52.
- SALVADOR RB & RASSER MW 2016b Fossil land and freshwater gastropods from the Middle Miocene of Bechingen and Daugendorf, southwestern Germany. Archiv für Molluskenkunde 145 (1): 111–124.
- SALVADOR RB, HÖLTKE O & RASSER MW 2017 Fossil land and freshwater gastropods from the Miocene of Hohenmemmingen, Germany. Paleodiversity, 10 (1): 41–48.
- WENZ W 1923 Gastropoda extramarina tertiaria. Fossilium Catalogus I: Animalia (18): 353–736. W. Junk, Berlin.
- ZIETEN CHV. 1830–1833 (“1830”) Die Versteinerungen Württembergs, oder naturgetreue Abbildungen der in den vollständigsten Sammlungen, namentlich der in dem Kabinett des Oberamts-Arzt Dr. Hartmann befindlichen Petrefakten, mit Angabe der Gebirgsformationen, in welchen dieselben vorkommen und der Fundorte. Unsere Zeit, Stuttgart. 102 pp., 72 pls. [Livr. 5–6: 33–48, pls. 25–36 (1832)] [in German and French].
- ZILCH A 1959–1960 Gastropoda. Euthyneura. In: Schindewolf O.H. (ed.): Handbuch der Paläozoologie 6 (2). Borntraeger, Berlin. XII +835 pp. [part 4: 601–835, I–XII (1960)].